

Lubricating Eye Drops

Hypromellose 0.3%

Composition:

Hypromellose 0.3% w/v, sodium chloride, potassium chloride, borax, boric acid, benzalkonium chloride, water for injection.

Intended Use:

For treatment of mild, occasional or temporary forms of dry eyes. The soothing, moisturising and lubricating qualities of Hypromellose provides effective and long lasting relief from the ocular discomfort and irritation associated with dry eyes, tiredness and environmental factors such as wind, salt water, smoke or computer work.

Target population group:

The target disorders can affect both genders and all age groups although chronic dry eyes occur more commonly in the elderly.

Dosage and Frequency of use:

Instil one or two drops into the affected eye(s) by gently squeezing the bottle. Use, as required for relief of symptoms, up to 4 times daily.

Duration of treatment:

Do not continuously use for more than 30 days. Consult a doctor, pharmacist or optician if use is required for more than 4 times daily or more than 30 days.

Precautions and Warnings:

- For use in your eyes only, do not swallow.
- This product is to be used only by the concerned user; it should not be shared with others.
- Do not use in case of eye infection, injury or corneal abrasion.

- Do not use if the bottle is damaged.
- Should the locking ring at the base of the cap appear loose after opening, please remove before using.
- Keep out of the sight and reach of children.
- Do not use if you are allergic to any of the ingredients listed above.
- Consult your doctor if you are pregnant or breastfeeding.
- Do not use after the expiry date shown on the pack.
- Do not touch the eye with the tip of the bottle.
- Leave at least 10 minutes between the administration of the test product and any other eye medicine.
- If the problem does not improve within 2 days or worsens at any time, consult your doctor, pharmacist or optician.
- Benzalkonium chloride may be absorbed by soft contact lenses and may change the colour of the contact lens. You should remove contact lenses before using this product and put them back 15 minutes afterwards.
- Benzalkonium chloride may also cause eye irritation especially if you have dry eyes or disorders of the cornea.
- If you feel abnormal eye sensation, stinging or pain in the eyes after using this product, talk to your doctor, pharmacist or optician.

Possible side effects:

This product may cause:

- Mild transient burning sensation in the eye.
- Temporary blurring of vision. Do not drive or operate machinery until normal vision is restored.
- Allergic reactions, rarely.

How to store:

- Store below 25° C.
- Discard the contents 30 days after first opening.
- Keep the bottle in the outer carton to protect from light and moisture.

Symbol	Explanation
	Manufacturer
	Distributor
	Medical Device
	CE mark
	Sterilized using aseptic processing techniques
	Do not use if the outer packaging is damaged
	Lot number
	Expiry date [YYYY-MM]
	Read instructions for use
	Do not store above 25° C
	Shelf life after opening
	Caution

www.ocufresh.co.uk



Blumont Healthcare Ltd.
23 Moortown Close, Grantham,
NG31 9GG, United Kingdom.

www.blumonthhealthcare.com



MedNet EC-REP IIB GmbH
Borkstrasse 10,
48163 Muenster,
Germany



Date of last review: 31.01.2025
IFU1601A.00